# **TABULA TABLES - TAR 30** — By Actiu —





TABULA tables are a canteen and meeting tables program. These tables can be used on several environments due to its different models and styles.

Tabula offers a wide range of size and different base options to use them in canteens, small meeting points, break out areas or informal meeting/working areas. Table tops are available in glass, MFC and Compact Laminated, and both round or squared shaped with a round central column in steel allowing 3 different types of bases: round steel, round aluminium or cross aluminium.

	TAR10 TABULA TABLES	TAR20 TABULA TABLES	TAR30 TABULA TABLES
			OPTIONAL
Base	Ø40 or Ø45 cm base made of 8mm thick Steel. Available in White, Silver and Black.	Ø 67,5 cm base with 4 support points on a cross base made of injected aluminium. Available in White, Silver, Black and Polished.	Ø 58 cm or Ø 66 cm base made of injected aluminium. Available in White, Silver, Black and Polished. realizada en aluminio inyectado.
Supports	Supports with anti-slip pads.	Suppoorts with anti-slip pads. Optional: 45mm diameter black castors with Teflon tyre thread.	Supports with anti-slip pads.
Column	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 76mm central column made of 2mm thick aluminium. Available in White, Silver and Black.
Table top	25mm thick MFC tops and 13mm thick Compact Laminated top	25mm thick MFC tops, 13mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges.	25mm thick MFC tops, 13mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges
Alturas	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm
Outdoor table		Aluminium base, column and desk support to allow TAR20 to be used outdoor. Desk top required for an outdoor use: Compact Laminate.	
Connectivity options			Electrification system in highlighted models with optional plugs or USB connections. Only available on MFC and Compact Laminated tops.

# AVAILABILITY OF MODELS AND MEASURES





- Work tops davailable in Melamine (25mm) Compact Laminate (13mm) or laminated security glass (5+5 mm), round shape edge
- (2) Steel Column 76 mm diameter and 2 mm thickness
- Base: Aluminium Die Casting Bases, Ø58 or Ø66 cm, silver, white and black. The base have an anti-skid pad.


#### 4 3 different Heights:

- 40 cm. height Tables
- 74 cm. height Tables
- 110 cm. height Tables
- Optional Connectivity: TAll models with melamine and phenolic surfaces can optionally incorporate integrated connection access to the table surface with a plug.




#### BASES









White Steel Cylinder Tube Die Casted Aluminium base, white finish - Anti-skid pads


PC373

Ø80

Ø58 / Ø64

Black Steel Cylinder Tube Die Casted Aluminium base, black finish - Anti-skid pads

#### TÁBULA TABLES TAR-30







#### FINISHES (see table of finishes) MFC (25 mm) 00 WHITE 11 LIME OAK 18 MAPLE 16 LIGHT OAK 12 ELM 07 CHESTNUT 13 WALNUT 14 DARK OAK 19 WENGUE 08 BLACK Compact Laminate (13 mm) Glass 30 WHITE 35 MAPLE 39 WENGUE 38 BLACK 50 FROSTED 52 WHITE 59 BLACK 36 CHESTNUT



#### MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.



## PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.



#### TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.



# USE

Quality and warranty. Long lasting. Replacements available.

AENOR

Jc

ED-0011/2010

EN ISO 14006:2011



### DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.



15.74%

RECYCLED

100%

RECYCLABLE

ALUMINIUM, STEEL & WOOD

100%

RECYCLARLE

PACKAGE AND THINNER

FREE

EASY

TO CLEAN AND MAINTAIN

#### CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



responsable forestry



PEFC Certificate ECODESIGN Certificate



ISO 9001 Certificate



ISO 14001 Certificate



E1 Certificate by EN 13986



ACTIU TECHNOLOGY PARK LEED® PLATINUM certified by USGBC Leadership in Energy & Environmental Design LEED® Gold certified 2011 - LEED® Platinum certified 2017