

Duna 02


Design by Lievore Altherr Molina, 2014

Art. 4201

Chair with chromed or powdercoated steel 4-leg base. Polypropylene shell available in six colors.




Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Polypropylene



arper

F +39 0422 791800

T +39 0422 7918


www.arper.com


Duna 02

Design by Lievore Altherr Molina, 2014

SHIPMENT DETAILS

Art.4201

1 pz = 2  - kg 12,88/ m³ 0,36

4 pz = 2  - kg 37,7/ m³ 0,48

TECHNICAL SPECIFICATIONS

Art.4201

Outdoor: only for PP+ V12, V39

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.10
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.20
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6. 4

- EN 1728:2012 - EN 16139:2013 6.11
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6.26
- EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Duna 02


Design by Lievore Altherr Molina, 2014

Art. 4202

Lounge chair with chromed steel 4-leg base. Polypropylene shell available in six colors.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

Shell

Polypropylene



PP0001



PP0001



PP0001



PP0001



PP0001

PP0001

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com


Duna 02

Design by Lievore Altherr Molina, 2014

SHIPMENT DETAILS

Art.4202

1 pz = 2  - kg 12,62/ m³ 0,36

4 pz = 2  - kg 37,18/ m³ 0,48

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 610
- EN 1728:2012 - EN 16139:2013 615
- EN 1728:2012 - EN 16139:2013 617
- EN 1728:2012 - EN 16139:2013 617
- EN 1728:2012 - EN 16139:2013 620
- EN 1728:2012 - EN 16139:2013 625
- EN 1728:2012 - EN 16139:2013 6 4

- EN 1728:2012 - EN 16139:2013 611
- EN 1728:2012 - EN 16139:2013 616
- EN 1728:2012 - EN 16139:2013 618
- EN 1728:2012 - EN 16139:2013 624
- EN 1728:2012 - EN 16139:2013 626
- EN 1728:2012 - EN 16139:2013 6 5

FIRE RETARDANT TEST

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Duna 02


Design by Lievore Altherr Molina, 2014

Art. 4211

Chair with chromed or powdercoated steel 4-leg base and polypropylene shell available in six colors, with front upholstery in leather, faux leather, fabric or customer's own material.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base




Shell

Polypropylene



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam


Serge Ferrari


Duna 02

Design by Lievore Altherr Molina, 2014

SHIPMENT DETAILS

Art.4211

1 pz = 2  - kg 12,88/ m³ 0,36

4 pz = 2  - kg 37,7/ m³ 0,48

TECHNICAL SPECIFICATIONS

Art.4211

COL requirement m² 1.44

H 140 cm. COM Meterage ml 1.05

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.10
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.20
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6. 4

- EN 1728:2012 - EN 16139:2013 6.11
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6.26
- EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

Classe 1M Cava 3 Field

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Duna 02


Design by Lievore Altherr Molina, 2014

Art. 4212

Lounge chair with chromed steel 4-leg base and polypropylene shell available in six colors, with front upholstery in leather, faux leather, fabric or customer's own material.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO


Shell

Polypropylene



PP0001 PP0001 PP0001 PP0001 PP0001 PP0001

Carded In



Graded In



arper

F +39 0422 791800

T +39 0422 7918


www.arper.com


Duna 02

Design by Lievore Altherr Molina, 2014

SHIPMENT DETAILS

Art.4212

1 pz = 2  - kg 12,62/ m³ 0,36

4 pz = 2  - kg 37,18/ m³ 0,48

TECHNICAL SPECIFICATIONS

Art.4212

COL requirement m² 1.44

H 140 cm. COM Meterage ml 1.05

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 610
- EN 1728:2012 - EN 16139:2013 615
- EN 1728:2012 - EN 16139:2013 617
- EN 1728:2012 - EN 16139:2013 620
- EN 1728:2012 - EN 16139:2013 625
- EN 1728:2012 - EN 16139:2013 6 4

- EN 1728:2012 - EN 16139:2013 611
- EN 1728:2012 - EN 16139:2013 616
- EN 1728:2012 - EN 16139:2013 618
- EN 1728:2012 - EN 16139:2013 624
- EN 1728:2012 - EN 16139:2013 626
- EN 1728:2012 - EN 16139:2013 6 5

FIRE RETARDANT TEST

Classe 1IM Cava 3 Field

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Duna 02


Design by Lievore Altherr Molina, 2014

Art. 4221

Chair with chromed or powdercoated steel 4-leg base. Polypropylene shell available in six colors, with cushion in leather, faux leather, fabric or customer's own material applied on the seat surface.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Polypropylene



Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam


Serge Ferrari


Duna 02

Design by Lievore Altherr Molina, 2014

SHIPMENT DETAILS

Art.4221

1 pz = 2  - kg 12,88/ m³ 0,36

4 pz = 2  - kg 37,7/ m³ 0,48

TECHNICAL SPECIFICATIONS

Art.4221

COL requirement m² 0.56

H 140 cm. COM Meterage ml 0.55

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.10
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.20
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6. 4

- EN 1728:2012 - EN 16139:2013 6.11
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6.26
- EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

Classe 1IM Cava 3 Field

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Duna 02


Design by Lievore Altherr Molina, 2014

Art. 4222

Lounge chair with chromed steel 4-leg base. Polypropylene shell available in six colors, with cushion in leather, faux leather, fabric or customer's own material applied on the seat surface.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO


Shell

Polypropylene



PP0001 PP0001 PP0001 PP0001 PP0001 PP0001

Carded In



Canvas Kvadrat Cava 3 Kvadrat Clara 2 Kvadrat Divina 3 Kvadrat Divina MD Kvadrat Divina Melange 2 Kvadrat Field Kvadrat Fiord Kvadrat Floyd Kvadrat



Hallingdal 65 Kvadrat Pause 4 Kvadrat Pro 3 Kvadrat Remix 2 Kvadrat Revive 1 Kvadrat Rime Kvadrat Savanna Kvadrat Scuba Kvadrat Steelcut 2 Kvadrat



Steelcut Trio 3 Kvadrat Tempo Kvadrat Tonus 4 Kvadrat Umami Kvadrat Jet Fidivi Style Fidivi Valencia Faux leather Spradling Soft leather Elmosoft® Leather

Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam


Serge Ferrari


Duna 02

Design by Lievore Altherr Molina, 2014

SHIPMENT DETAILS

Art.4222

1 pz = 2  - kg 12,62/ m³ 0,36

4 pz = 2  - kg 37,18/ m³ 0,48

TECHNICAL SPECIFICATIONS

Art.4222

COL requirement m² 0.56

H 140 cm. COM Meterage ml 0.55

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 610
- EN 1728:2012 - EN 16139:2013 615
- EN 1728:2012 - EN 16139:2013 617
- EN 1728:2012 - EN 16139:2013 620
- EN 1728:2012 - EN 16139:2013 625
- EN 1728:2012 - EN 16139:2013 6 4

- EN 1728:2012 - EN 16139:2013 611
- EN 1728:2012 - EN 16139:2013 616
- EN 1728:2012 - EN 16139:2013 618
- EN 1728:2012 - EN 16139:2013 624
- EN 1728:2012 - EN 16139:2013 626
- EN 1728:2012 - EN 16139:2013 6 5

FIRE RETARDANT TEST

Classe 1IM Cava 3 Field

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Duna 02


Design by Lievore Altherr Molina, 2014

Art. 4231

Chair with chromed or powdercoated steel 4 leg base. Shell fully upholstered in leather, faux leather, fabric or customer's own material.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam


Serge Ferrari


Duna 02

Design by Lievore Altherr Molina, 2014

SHIPMENT DETAILS

Art.4231

1 pz = 2  - kg 12,88/ m³ 0,36

4 pz = 2  - kg 37,7/ m³ 0,48

TECHNICAL SPECIFICATIONS

Art.4231

COL requirement m² 2.66

H 140 cm. COM Meterage ml 1.72

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.10
- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.20
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6. 4

- EN 1728:2012 - EN 16139:2013 6.11
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6.26
- EN 1728:2012 - EN 16139:2013 6. 5

FIRE RETARDANT TEST

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com