

NOOM

serie 10 - serie 20

— By Alegre Design —



NO
OM

The enormous versatility and personalization capacity of **Noom**, designed by the **Alegre Design** studio, allows this line to fit into areas that include lobbies, waiting areas, meeting rooms and hotels, among others. And it achieves this thanks to chairs, armchairs, benches with an affable and transverse design available in a wide variety of options in terms of seat and structure, from armchairs with metal and wooden bases to high benches for counter and restaurant bar.

In its creation, **Noom** combines handcrafted upholstery with pattern-making technologies and 3D seams that generate new sensations from a line of soft seating that find their space organically in contract and work environments.



Delta Selection
ADI Awards 2020



ACTIU

www.actiu.com

Design goes beyond aesthetics: innovation, space and furniture go hand in hand to create environments that are friendlier, more comfortable and more motivating for people: environments that are more dynamic, fresh, creative, ergonomic and functional.

A business philosophy in which design is part of our DNA, as we apply it to every facet of the company: products, architecture, projects, brand, communication, work spaces ...

Noom Serie 10



| Model | NOOM Serie 10 - Armchair - Medium Backrest | | |
|---|--|--|--|
| Model reference | 4 metal legs | 4 Conical wooden legs | 4 pyramidal wooden legs |
| Model of Backrest | Medium backrest | Medium backrest | Medium backrest |
| Internal Structure | Steel internal structure. | | |
| Backrest & seat | Backrest & seat injected with flexible PUR foam of 80-90 kg/m ³ density. Upholstered in fabric for easy cleaning. | | |
| Cushion | Injected cushion of flexible PUR foam of 60-70 kg/m ³ density. Upholstered in fabric for easy cleaning. | | |
| Sewing Type | Simple Sewing - Monocolour French Sewing - Monocolour and Bicolour | | |
| Structure/Base | Base of 4 legs in steel tube Ø18mm x 2mm thick. Crossbeam in steel tube Ø16mm x 2mm thick. Hot-rolled cylindrical tubes. Black and White finishes. | Base with 4 conical legs in solid Beech wood in natural and black finish. | Base with 4 legs of solid Beech wood in pyramidal form. Natural finish and black. |
| Mechanism | | | Swivel seat with self-return system |
| Supports | Black non-slip rubber pad with felt silent pad-anti scratch. | Black non-slip rubber pad with felt silent pad-anti scratch. | Black non-slip rubber pad |
| Dimensions <small>*according to UNE-EN 1335-1</small> | <p>Total Dimensions: Height: 824 mm Width: 760 mm Depth: 785 mm</p> <p>Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 785 mm</p> | <p>Total Dimensions: Height: 824 mm Width: 760 mm Depth: 785 mm</p> <p>Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 785 mm</p> | <p>Total Dimensions: Height: 824 mm Width: 760 mm Depth: 785 mm</p> <p>Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 785 mm</p> |
| | | | |

Noom Serie 20



| Model | NOOM Serie 20 - Armchair - High Backrest with Headrest | | |
|---|--|--|--|
| Model reference | 4 metal legs | 4 Conical wooden legs | 4 pyramidal wooden legs |
| Model of Backrest | High Backrest | High Backrest | High Backrest |
| Internal Structure | Steel internal structure. | | |
| Backrest & seat | Backrest & seat injected with flexible PUR foam of 80-90 kg/m ³ density. Upholstered in fabric for easy cleaning. | | |
| Cushion | Injected cushion of flexible PUR foam of 60-70 kg/m ³ density. Upholstered in fabric for easy cleaning. | | |
| Sewing Type | Simple Sewing - Monocolour French Sewing - Monocolour and Bicolour | | |
| Structure/Base | Base of 4 legs in steel tube Ø18mm x 2mm thick. Crossbeam in steel tube Ø16mm x 2mm thick. Hot-rolled cylindrical tubes. Black and White finishes. | Base with 4 conical legs in solid Beech wood in natural and black finish. | Base with 4 legs of solid Beech wood in pyramidal form. Natural finish and black. |
| Mechanism | | | Swivel seat with self-return system |
| Supports | Black non-slip rubber pad with felt silent pad-anti scratch. | Black non-slip rubber pad with felt silent pad-anti scratch. | Black non-slip rubber pad |
| Dimensions <small>*according to UNE-EN 1335-1</small> | <p>Total Dimensions: Height: 1.044 mm Width: 760 mm Depth: 834 mm</p> <p>Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 834 mm</p> | <p>Total Dimensions: Height: 1.044 mm Width: 760 mm Depth: 834 mm</p> <p>Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 834 mm</p> | <p>Total Dimensions: Height: 1.044 mm Width: 760 mm Depth: 834 mm</p> <p>Dimensions Seat: Height: 422 mm Width: 760 mm Depth: 834 mm</p> |
| | | | |



UPHOLSTERED WITH SIMPLE SEWING - MONOCOLOUR

Fabric BU



Fabric BV




Fabric GP




UPHOLSTERED WITH FRENCH SEWING - MONOCOLOUR


Fabric AE




Fabric AO




Fabric AI



Fabric AD



Fabric M




Fabric FA




UPHOLSTERED WITH FRENCH SEWING - BICOLOUR

Fabric AI



Fabric CM



Weight and Volume // Ecodesign

| Noom Serie 10 | | | | | | | | |
|---------------|-------|--------|--------|---------------------------------|---|---------------------------------------|------------------------------|----------------------------------|
| MODEL | Packs | Weight | Volume | Materials Recycled materials | Production Aluminium, steel and wood | Transport Package and thinner free | Use To clean and maintain | Disposal Recyclable materials |
| | | | | | | | | |
| | 1 | 19,1 | 0,56 | 41,99% | 100% | 100% | Easy | 61,09% |
| | 1 | 17,3 | 0,56 | 41,99% | 100% | 100% | Easy | 61,09% |
| | 1 | 19,4 | 0,43 | 41,99% | 100% | 100% | Easy | 61,09% |

| Noom Serie 20 | | | | | | | | |
|---------------|-------|--------|--------|---------------------------------|---|---------------------------------------|------------------------------|----------------------------------|
| MODEL | Packs | Weight | Volume | Materials Recycled materials | Production Aluminium, steel and wood | Transport Package and thinner free | Use To clean and maintain | Disposal Recyclable materials |
| | | | | | | | | |
| | 1 | 24,9 | 0,56 | 40,96% | 100% | 100% | Easy | 58,00% |
| | 1 | 23,1 | 0,56 | 40,96% | 100% | 100% | Easy | 58,00% |
| | 1 | 23,5 | 0,56 | 40,96% | 100% | 100% | Easy | 58,00% |

Materials: Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.
Production: Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.
Transport: Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.
Use: Quality and warranty. Long lasting. Replacements available.
Disposal: Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

Standards

NOOM has passed tests done in our technical department as well as the tests done in AIDIMA the Technological Institute for furniture. The tests correspond to:

| Standard | Description |
|-------------------------------|---|
| UNE - EN 16139 : 2013 vc 2015 | Furniture. Resistance, long lasting, security. Requirements for non domestic use seating. |
| UNE - EN ISO 14006 : 2011 | Environmental management systems. Guidelines for the incorporation of eco-design. |
| | |

Certificates

The different programmes get points in different environmental categories to get the LEED certificate or WELL certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).

